

# FORTIGATE™ 60

## Powerful All-in-One Protection for SOHO and Branch Offices



FortiGate™ Antivirus Firewalls are dedicated, hardware-based units that deliver complete, real-time network protection services at the network edge. Based on Fortinet's revolutionary FortiASIC™ Content Processor chip, the FortiGate platforms are the only systems that can detect and eliminate viruses, worms, and other content-based threats without reducing network performance — even for real-time applications like Web browsing. FortiGate systems also include integrated firewall, content filtering, VPN, intrusion detection and prevention, and traffic shaping functions, making them the most cost effective, convenient, and powerful network protection solutions available.

The FortiGate-60 system is an ideal solution for small offices. The FortiGate-60 features dual WAN link support for redundant internet connections, and an integrated 4-port switch that eliminates the need for an external hub or switch, giving networked devices a direct connection to the FortiGate-60. Ideally suited for small businesses, remote offices, retail stores, broadband telecommuter sites, the FortiGate-60 is unmatched in capabilities, speed, and price/performance. The FortiGate-60M offers the same features and functionality of a FortiGate-60, except with an integrated analog modem for automatic dial backup to provide uninterrupted access for business critical applications. The FortiGate-60 and 60M are kept up to date automatically by Fortinet's FortiProtect™ Network, which provides continuous updates that ensure protection against the latest viruses, worms, Trojans, and other threats — around the clock, and around the world.

## Product Highlights

- Provides complete real-time network protection through a combination of network-based antivirus, web and email content filtering, firewall, VPN, dynamic intrusion detection and prevention, traffic shaping and anti-spam.
- Eliminates viruses and worms from email, file transfer, and real-time (Web) traffic without degrading network performance
- Easy to use and deploy — quick and easy configuration wizard walks administrators through initial setup with graphical user interface
- Dual WAN ports support redundant, load-balanced links to multiple ISPs
- Integrated 4-port switch eliminates the need for external switches and provides enhanced fan-out
- Reduces exposure to threats by detecting and preventing over 1300 different intrusions, including DoS and DDoS attacks
- Delivers superior performance and reliability from hardware accelerated, ASIC-based architecture
- Automatically downloads the latest virus and attack database and can accept instant “push” updates from the FortiProtect Network
- Manage thousands of FortiGate units through the FortiManager™ central management tool
- Underlying FortiOS™ operating system is ICSA-certified for Antivirus, Firewall, IPSec VPN, and Intrusion Detection
- Web-based graphical user interface and content filtering supports multiple languages




## Key Features & Benefits




Feature	Description	Benefit
<b>Network-based Antivirus</b> (ICSA Certified)	Detects and eliminates viruses and worms in real-time. Scans incoming and outgoing email attachments (SMTP, POP3, IMAP) and all FTP and HTTP traffic including web-based email — without degrading Web performance	Closes the vulnerability window by stopping viruses and worms before they enter the network
<b>Dynamic Intrusion Detection and Prevention</b> (ICSA Certified)	Detection and prevention of over 1300 intrusions and attacks, based on user-configurable thresholds. Automatic update of IPS signatures from FortiProtect Network.	Stops attacks that evade conventional antivirus products, with real-time response to fast-spreading threats
<b>Firewall</b> (ICSA Certified)	Powerful stateful inspection firewall	Certified protection, maximum performance and scalability
<b>Web Content Filtering</b>	Processes all Web content to block inappropriate material and malicious scripts	Assures improved productivity for enterprise and regulatory compliance for CIPA-compliant educational institutions
<b>VPN</b> (ICSA Certified)	Industry standard IPSec, PPTP, and L2TP VPN support	Provide secure communication tunnels between networks and clients
<b>Remote Access</b>	Supports secure remote access from any PC equipped with FortiClient Host Security software	Low cost, anytime, anywhere access for mobile and remote workers and telecommuters
<b>Dual WAN Interfaces</b>	Two WAN interfaces provide support for two separate connections to the Internet	Built-in failover and redundancy when one Internet connection goes down, the other automatically takes over all sessions
<b>USB Expansion Ports</b>	USB ports can support future enhancements including dial-up or broadband modems	Expandability, investment protection
<b>Built-in 4-Port Switch</b>	Integrated switch with four 10/100 ethernet ports for directly connecting network devices	Eliminates the need for an external switch or hub

## System Specifications

FortiGate-60



FortiGate-60M





## Specifications

### FortiGate-60

### FortiGate-60

#### Interfaces

10/100 Ethernet ports	7
DMZ port	•
USB ports	2
Integrated analog modem	FortiGate-60M only

#### System Performance

Concurrent sessions	50,000
New sessions/second	2,000
Firewall throughput (Mbps)	70
168-bit Triple-DES throughput (Mbps)	20
Users	Unrestricted
Policies	500
Schedules	256

#### Antivirus, Worm Detection & Removal

Automatic virus database update from FortiProtect Network	•
Scans HTTP, FTP, SMTP, POP3, IMAP, and encrypted VPN Tunnels	•
Block by file size	•

#### Firewall Modes and Features

NAT, PAT, Transparent (bridge)	•
Routing mode (RIP v1, v2)	•
Policy-based NAT	•
Virtual domains	2
VLAN tagging (802.1q)	•
User Group-based authentication	•
H.323 NAT Traversal	•
WINS support	•

#### VPN

PPTP, L2TP, and IPSec	•
Dedicated tunnels	40
Encryption (DES, 3DES, AES)	•
SHA-1 / MD5 authentication	•
PPTP, L2TP, VPN client pass through	•
Hub and Spoke VPN support	•
IKE certificate authentication	•
IPSec NAT Traversal	•
Dead peer detection	•

#### Content Filtering

URL/keyword/phrase block	•
URL Exempt List	•
Protection profiles	32
Blocks Java Applet, Cookies, Active X	•
FortiGuard™ web filtering support	•

#### Dynamic Intrusion Detection and Prevention

Intrusion prevention for over 1300 attacks	•
Automatic real-time updates from FortiProtect Network	•
Customizable detection signature list	•

#### Anti-Spam

Real-time Blacklist/Open Relay Database Server	•
MIME header check	•
Keyword/phrase filtering	•
IP address blacklist/exempt list	•

#### Logging/Monitoring

Log to remote Syslog/WELF server	•
Graphical real-time and historical monitoring	•
SNMP	•
Email notification of viruses and attacks	•
VPN tunnel monitor	•

#### Networking

Multiple WAN link support	•
Multi-zone support	•
Route between zones	•
Policy-based routing	•

#### System Management

Console interface	•
WebUI (HTTPS)	•
Multi-language support	•
Command line interface	•
Secure Command Shell (SSH)	•
FortiManager System	•

#### Administration

Role-based administration	•
Multiple administrators and user levels	•
Upgrades & changes via TFTP & WebUI	•
System software rollback	•

#### User Authentication

Internal database	•
External LDAP/RADIUS database support	•
RSA SecurID	•
Xauth over RADIUS support for IPSec VPN	•
IP/MAC address binding	•

#### Traffic Management

DiffServ setting	•
Policy-based traffic shaping	•
Guaranteed/Maximum/Priority bandwidth	•

#### Dimensions

Height	1.38 inches
Width	8.63 inches
Length	6.13 inches
Weight	1.5 lb (0.68 kg)

#### Power

DC input voltage	12V
DC input current	3A

#### Environmental

Operating Temperature	32 to 104 °F (0 to 40 °C)
Storage Temperature	-13 to 158 °F (-25 to 70 °C)
Humidity	5 to 95% non-condensing

#### Compliance

FCC Class A Part 15	•
CSA/CUS	•
CE	•
UL	•
ICSA Antivirus, Firewall, IPSec, NIDS	•

**Australia**

Level 17, 201 Miller Street  
North Sydney 2060  
Australia

Tel: +61-2-8923-2555  
Fax: +61-2-8923-2525

**China**

Cyber Tower, Suite B-903  
2 Zhongguancun Nan Ave.  
Hai Dian, Beijing 100086  
China

Tel: +8610-8251-2622  
Fax: +8610-8251-2630

**France**

69 rue d'Aguesseau  
92100 Boulogne Billancourt  
France

Tel: +33-1-4610-5000  
Tech Support: +33-4-9300-8810  
Fax: +33-1-4610-5025

**Germany**

Feringapark  
Feringastrasse 6  
85774 München-Unterföhring  
Germany

Tel: +49-(0)-89-99216-300  
Fax: +49-(0)-89-99216-200

**Hong Kong**

Room 3206, 32/F  
Convention Plaza - Office Tower  
1 Harbour Road, WanChai  
Hong Kong

Tel: +852-3171-3000  
Fax: +852-3171-3008

**Japan**

Kokusai Tameike Building 6F  
2-12-10 Akasaka, Minato-ku  
Tokyo 107-0052  
Japan

Tel: +81-3-5549-1640  
Fax: +81-3-5549-1641

**Korea**

27th Floor  
Korea World Trade Center  
159 Samsung-Dong  
Kangnam-Ku  
Seoul 135-729  
Korea

Tel: +82-2-6007-2007  
Fax: +82-2-6007-2703

**Taiwan**

18F-1, 460 SEC.4  
Xin-Yi Road  
Taipei, Taiwan, R.O.C.

Tel: +886-2-8786-0966  
Fax: +886-2-8786-0968

**United Kingdom**

1 Farnham Road  
Guildford, Surrey GU2 4RG  
United Kingdom

Tel: +44-(0)-1483-549061  
Fax: +44-(0)-1483-549165

**United States**

920 Stewart Drive  
Sunnyvale, CA 94085  
USA

Tel: +1-408-235-7700  
Fax: +1-408-235-7737  
Email: sales@fortinet.com